



Be Right™

SAFETY DATA SHEET

Issue Date 06-Jul-2016

Revision Date 09-Feb-2017

Version 6

Page 1 / 21

1. IDENTIFICATION

Product identifier

Product Name STABLCAL® FORMAZIN STANDARD 20 NTU

Other means of identification

Product Code(s) 2684801

Safety data sheet number M03409

Synonyms

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory Use. Standard solution.

Uses advised against None.

Restrictions on use None.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company
P.O.Box 389 Loveland, CO 80539 USA
(970) 669-3050

Emergency telephone number

(303) 623-5716 - 24 Hour Service (515)232-2533 - 8am - 4pm CST

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Respiratory sensitization	Category 1
Skin sensitization	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word - Danger

Product Code(s) 2684801
Issue Date 06-Jul-2016
Version 6

Product Name STABLCAL® FORMAZIN STANDARD 20 NTU
Revision Date 09-Feb-2017
Page 2 / 21



Hazard statements

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
H317 - May cause an allergic skin reaction EUH208 - May produce an allergic reaction

Precautionary statements

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
P284 - Wear respiratory protection
P272 - Contaminated work clothing should not be allowed out of the workplace
P280 - Wear protective gloves
P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
P363 - Wash contaminated clothing before reuse
P501 - Dispose of contents/ container to an approved waste disposal plant

Other Information

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Synonyms

Chemical Family Mixture.

Percent ranges are used where confidential product information is applicable.

Chemical Name	CAS No	Percent Range	HMRIC #
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	100-97-0	5 - 10%	-
Sodium sulfate	7757-82-6	0.1 - 1%	-
Formaldehyde	50-00-0	<0.1%	-
Ammonium sulfate	7783-20-2	<0.01%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice	IF IN EYES: Flush eyes for at least 15 minutes. May cause allergic skin reaction. Repeated contact may cause allergic reactions in very susceptible persons.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin contact	For minor skin contact, avoid spreading material on unaffected skin. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Remove and isolate contaminated clothing and shoes. Call a POISON CENTER or doctor if you feel unwell. If skin irritation persists, call a physician. May cause an allergic skin reaction. Consult a physician if necessary.
Inhalation	May cause allergic respiratory reaction. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
Ingestion	IF SWALLOWED: Rinse Mouth. If symptoms persist, call a physician.
Self-protection of the first aider	Use personal protective equipment as required. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Most important symptoms and effects, both acute and delayed

Symptoms See Section 11: TOXICOLOGICAL INFORMATION.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Causes sensitization.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Small Fire Dry chemical or CO₂.

Unsuitable extinguishing media No information available.

Flammable properties

During a fire, this product decomposes to form toxic gases.

Specific hazards arising from the chemical

May react violently with. Strong acids. Strong oxidizers. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes. May cause sensitization in susceptible persons.

Hazardous combustion products This material will not burn.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

EC Notice Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.

WHMIS Notice Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Do not touch or walk through spilled material. Ventilate affected area. Use personal protective equipment as required.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up Neutralize spill if necessary. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Dispose of in accordance with local, state and federal regulations or laws.

Emergency Response Guide Number Not applicable

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Do not breathe dust/fume/gas/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Formaldehyde <0.1%	Ceiling: 0.3 ppm	TWA: 0.75 ppm (vacated) TWA: 3 ppm (vacated) STEL: 10 ppm (vacated) Ceiling: 5 ppm	IDLH: 20 ppm Ceiling: 0.1 ppm 15 min TWA: 0.016 ppm

		STEL: 2 ppm	
--	--	-------------	--

Chemical Name	Alberta OEL	British Columbia OEL	Manitoba OEL	New Brunswick OEL	New Foundland & Labrador OEL
Formaldehyde <0.1%	Ceiling: 1 ppm Ceiling: 1.3 mg/m ³ TWA: 0.75 ppm TWA: 0.9 mg/m ³	TWA: 0.3 ppm Ceiling: 1 ppm SKN+	Ceiling: 0.3 ppm	TWA: 0.5 ppm STEL: 1.5 ppm	RSP+ Ceiling: 0.3 ppm SKN+

Chemical Name	Northwest Territories OEL	Nova Scotia OEL	Nunavut OEL	Ontario TWA	Prince Edward Island OEL
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane 5 - 10%	NDF	NDF	NDF	STEL: 0.35 ppm STEL: 2 mg/m ³	NDF
Formaldehyde <0.1%	Ceiling: 0.3 ppm SKN+	RSP+ Ceiling: 0.3 ppm SKN+	Ceiling: 0.3 ppm	STEL: 1 ppm Ceiling: 1.5 ppm	Ceiling: 0.3 ppm

Chemical Name	Quebec OEL	Saskatchewan OEL	Yukon OEL
Formaldehyde <0.1%	Ceiling: 2 ppm Ceiling: 3 mg/m ³	Ceiling: 0.3 ppm SKN+	Ceiling: 2 ppm Ceiling: 3 mg/m ³

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Legend See section 16 for terms and abbreviations

Appropriate engineering controls

Engineering Controls Showers
 Eyewash stations
 Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection Wear tight sealing safety goggles and/or face protection shield. Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

General Hygiene Considerations Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wear suitable gloves and eye/face protection. Wash face, hands and any exposed skin thoroughly after handling. Regular cleaning of equipment, work area and clothing is recommended. Handle in accordance with good industrial hygiene and safety practice. Avoid prolonged or repeated contact with skin. Take off all contaminated clothing and wash it before reuse. Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feeding stuffs.

Environmental exposure controls Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Gas Under Pressure Not classified according to GHS criteria

Product Code(s) 2684801
Issue Date 06-Jul-2016
Version 6

Product Name STABLCAL® FORMAZIN STANDARD 20 NTU
Revision Date 09-Feb-2017
Page 6 / 21

Appearance Turbid solution
aqueous solution

Color white

Odor Odorless

Odor threshold No data available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Molecular weight	No data available	
pH	No data available	
Melting point/freezing point	~ 0 °C / 32 °F	Estimation based on theoretical calculation
Boiling point / boiling range	~ 100 °C / 212 °F	Estimation based on theoretical calculation
Evaporation rate	1 (water = 1) Estimation based on theoretical calculation	
Vapor pressure	17.477 mm Hg / 2.33 kPa at 20 °C / 68 °F	Estimation based on theoretical calculation
Vapor density (air = 1)	0.62 (air = 1)	
Specific gravity (water = 1 / air = 1)	1.02	
Partition Coefficient (n-octanol/water)	Not applicable	
Soil Organic Carbon-Water Partition Coefficient	Not applicable	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Dynamic viscosity	No data available	
Kinematic viscosity	No data available	

Solubility(ies)

Water solubility

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

<u>Chemical Name</u>	<u>Solubility classification</u>	<u>Solubility</u>	<u>Solubility Temperature</u>
None reported	No information available	No data available	No information available

Other Information

Metal Corrosivity	Not classified as corrosive to metal according to GHS criteria
Steel Corrosion Rate	No data available
Aluminum Corrosion Rate	No data available
Volatile Organic Compounds (VOC) Content	No information available.

Product Code(s) 2684801
Issue Date 06-Jul-2016
Version 6

Product Name STABLCAL® FORMAZIN STANDARD 20 NTU
Revision Date 09-Feb-2017
Page 7 / 21

Bulk density	Not applicable
Explosive properties	Not classified according to GHS criteria.
Explosion data	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Flammable properties	During a fire, this product decomposes to form toxic gases.
Flammability Limit in Air	
Upper flammability limit:	No data available
Lower flammability limit:	No data available
Flash point	No data available
Oxidizing properties	Not classified according to GHS criteria.
Reactivity properties	Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.

10. STABILITY AND REACTIVITY

Reactivity properties

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria

Chemical stability

Stable under recommended storage conditions.

Special dangers of the product

No information available

Possibility of Hazardous Reactions

No information available.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid

Extremes of temperature and direct sunlight. Incompatible materials.

Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

Hazardous Decomposition Products

Ammonia. Carbon monoxide. Formaldehyde. Nitrogen oxides. Sodium oxides. Sulfur oxides.

Explosive properties

Not classified according to GHS criteria.

Upper explosion limit No data available

Lower explosion limit No data available

Autoignition temperature

No data available

Sensitivity to Static Discharge

None reported

Sensitivity to Mechanical Impact

None reported

11. TOXICOLOGICAL INFORMATION

NIOSH (RTECS) Number None reported

Information on Likely Routes of Exposure

Product Information	Respiratory sensitizer. Skin sensitizer.
Inhalation	May cause sensitization by inhalation.
Eye contact	No known effect based on information supplied.
Skin contact	May cause sensitization by skin contact.
Ingestion	No known effect based on information supplied.
Aggravated Medical Conditions	Respiratory disorders. Skin disorders.
Toxicologically synergistic products	None known.
Toxicokinetics, metabolism and distribution	See ingredients information below.

Chemical Name	Toxicokinetics, metabolism and distribution
Formaldehyde (<0.1%) CAS#: 50-00-0	Readily Absorbed via the respiratory and gastrointestinal routes. Absorbed formaldehyde can be oxidized to formate and carbon dioxide. Half-life of formaldehyde is 1 min in rat plasma.

Product Acute Toxicity Data

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	7,101.00 mg/kg
---------------	----------------

Ingredient Acute Toxicity Data

Oral Exposure Route		If available, see data below			
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	Mouse LD ₅₀	569 mg/kg	None reported	None reported	Vendor SDS NIOSH (National Institute for Occupational Safety and Health)
Formaldehyde	Rat	100 mg/kg	None	None reported	Vendor SDS

(<0.1%) CAS#: 50-00-0	LD ₅₀		reported		
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	Rat LD ₅₀	2840 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	Mouse LD ₅₀	5989 mg/kg	None reported	None reported	IUCLID (The International Uniform Chemical Information Database)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human LD _{Lo}	70 mg/kg	None reported	Gastrointestinal Ulcerated stomach Liver Other changes Kidney, Ureter, or Bladder Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	Man TD _{Lo}	1500 mg/kg	None reported	Gastrointestinal Gas	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TD _{Lo}	643 mg/kg	None reported	Lungs, Thorax, or Respiration Respiratory obstruction Gastrointestinal Ulcerated stomach Nausea or vomiting	RTECS (Registry of Toxic Effects of Chemical Substances)
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	Domestic mammal - Not specified LD _{Lo}	3500 mg/kg	None reported	Lungs, Thorax, or Respiration Respiratory stimulation	RTECS (Registry of Toxic Effects of Chemical Substances)

Dermal Exposure Route

If available, see data below

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rabbit LD ₅₀	270 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

If available, see data below

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LC ₅₀	250 mg/L	4 hours	None reported	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route

No data available

Product Skin Corrosion/Irritation Data

No data available.

Ingredient Skin Corrosion/Irritation Data

If available, see data below

Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	Organization for Economic Co-operation and Development (OECD) - Test 404: Acute Dermal Corrosion/Irritation	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS (Registry of Toxic Effects of Chemical Substances)
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	800 mg	20 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	Open Irritation Test	Guinea pig	100 mg	5 days	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Rabbit	2 mg	24 hours	Corrosive to skin	RTECS (Registry of Toxic Effects of Chemical Substances)

Product Serious Eye Damage/Eye Irritation Data

No data available.

Ingredient Eye Damage/Eye Irritation Data

If available, see data below

Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	Standard Draize Test	Rabbit	100 mg	None reported	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	90 mg	24 hours	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)
Formaldehyde (<0.1%) CAS#: 50-00-0	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances)
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	0.050 mL	None reported	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)
Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Rabbit	0.750 mg	24 hours	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances)

Sensitization Information

Product Sensitization Data

Skin Sensitization Exposure Route No data available.

Respiratory Sensitization Exposure Route No data available.

Ingredient Sensitization Data

Skin Sensitization Exposure Route If available, see data below.

Chemical Name	Test method	Species	Results	Key literature references and sources for data
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	OECD Test No. 406: Skin Sensitization	Guinea pig	Not confirmed to be a skin sensitizer	HSDB (Hazardous Substances Data Bank)
Formaldehyde (<0.1%) CAS#: 50-00-0	Patch test	Human	Confirmed to be a skin sensitizer	ERMA (New Zealand's Environmental Risk Management Authority)

Respiratory Sensitization Exposure Route If available, see data below.

Chemical Name	Test method	Species	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	Based on human experience	Human	Confirmed to be a respiratory sensitizer	HSDB (Hazardous Substances Data Bank)
Formaldehyde (<0.1%) CAS#: 50-00-0	IgE Specific Immune Response Test	Guinea pig	Confirmed to be a respiratory sensitizer	CICAD (Concise International Chemical Assessment Documents)

Chronic Toxicity Information

Product Repeat Dose Toxicity Data

Oral Exposure Route No data available.

Dermal Exposure Route No data available.

Inhalation (Dust/Mist) Exposure Route No data available.

Inhalation (Vapor) Exposure Route No data available.

Inhalation (Gas) Exposure Route No data available.

Ingredient Repeat Dose Toxicity Data

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route If available, see data below

Inhalation (Vapor) Exposure Route If available, see data below

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TC _{Lo}	0.017 mg/L	0.5 days	Eye Lacrimation Lungs, Thorax, or Respiration Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data

Formaldehyde (<0.1%) CAS#: 50-00-0	Human TC _{Lo}	2 mg/L	40 minutes	Lungs, Thorax, or Respiration Other changes Respiratory depression	RTECS (Registry of Toxic Effects of Chemical Substances)
--	---------------------------	--------	------------	---	--

Inhalation (Gas) Exposure Route

No data available

Chemical Name	CAS No	ACGIH	IARC	NTP	OSHA
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	100-97-0	-	-	-	-
Sodium sulfate	7757-82-6	-	-	-	-
Formaldehyde	50-00-0	A2	Group 1	Known	X
Ammonium sulfate	7783-20-2	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of Labor)	X - Present

Product Carcinogenicity Data

No data available

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

Ingredient Carcinogenicity Data

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

If available, see data below

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat	15 mg/L	78 weeks	Olfaction Tumors	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route

No data available

Product Germ Cell Mutagenicity *invitro* Data

No data available.

Ingredient Germ Cell Mutagenicity *invitro* Data

If available, see data below

Chemical Name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
---------------	------	-------------	---------------	---------------	---------	--

1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	Cytogenetic analysis	Human HeLa Cell	1 mmol/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	Morphological transformation	Hamster kidney	10 mg/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

Ingredient Germ Cell Mutagenicity *in vivo* Data

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route If available, see data below

Chemical Name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	DNA damage	Rat	0.000035 mg/L	8 weeks	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Vapor) Exposure Route If available, see data below

Chemical Name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Micronucleus test	Human	2 mg/L	15 minutes	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route No data available

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

Ingredient Reproductive Toxicity Data

Oral Exposure Route If available, see data below

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	Mouse TD _{Lo}	14000 mg/kg	4 days	Effects on Newborn Other neonatal measures or effects	RTECS (Registry of Toxic Effects of Chemical Substances)

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route If available, see data below

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat TC _{Lo}	40 mg/L	14 days	Effects on Embryo or Fetus Fetotoxicity (except death e.g. stunted fetus)	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat TC _{Lo}	.001 mg/L	24 weeks	Effects on Embryo or Fetus Cytological changes (including somatic cell genetic material)	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat TC _{Lo}	.0005 mg/L	19 days	Specific Developmental Abnormalities Musculoskeletal system	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity Based on the classification principles, not classified as hazardous to the environment.

Product Ecological Data

Aquatic toxicity

Fish No data available

Crustacea No data available

Algae No data available

Terrestrial toxicity

Soil No data available

Vertebrates No data available

Invertebrates No data available

Ingredient Ecological Data

Aquatic toxicity

Fish

If available, see ingredient data below

Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	96 hours	<i>Alburnus alburnus</i>	LC ₅₀	> 10000 mg/L	Vendor SDS
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	96 hours	None reported	LC ₅₀	56 mg/L	IUCLID (The International Uniform Chemical Information Database)
Formaldehyde (<0.1%) CAS#: 50-00-0	96 hours	<i>Morone saxatilis</i>	LC ₅₀	6.7 mg/L	PEEN (Pan European Ecological Network)
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	96 hours	<i>Oncorhynchus mykiss</i>	LC ₅₀	36.7 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	96 hours	<i>Pimephales promelas</i>	LC ₅₀	7960 mg/L	IUCLID (The International Uniform Chemical Information Database)
Formaldehyde (<0.1%) CAS#: 50-00-0	96 hours	None reported	LC ₅₀	52.5 mg/L	PEEN (Pan European Ecological Network)
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	96 hours	None reported	LC ₅₀	365 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)

Crustacea

If available, see ingredient data below

Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	48 Hours	<i>Daphnia magna</i>	EC ₅₀	> 36000 mg/L	EPA (United States Environmental Protection Agency)
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	48 Hours	<i>Daphnia magna</i>	EC ₅₀	3150 mg/L	IUCLID (The International Uniform Chemical Information Database)
Formaldehyde (<0.1%) CAS#: 50-00-0	48 Hours	<i>Daphnia pulex</i>	EC ₅₀	5.8 mg/L	PEEN (Pan European Ecological Network)
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	48 Hours	None reported	LC ₅₀	14 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	48 hours	<i>Daphnia magna</i>	EC ₅₀	29 mg/L	PEEN (Pan European Ecological Network)
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	48 hours	None reported	EC ₅₀	59 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident

					Insurance)
--	--	--	--	--	------------

Algae

If available, see ingredient data below

Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	72 hours	<i>Selenastrum capricornutum</i>	EC ₅₀	> 100 mg/L	CEPA (Canadian Environmental Protection Agency)

Terrestrial toxicity

Soil No data available

Vertebrates No data available

Invertebrates No data available

Other Information

Canadian Environmental Protection Act (CEPA) - Domestic Substances List (DSL): Environmentally Hazardous Substances Categorizations				
Chemical Name	Category	Persistent	Bioaccumulation	Inherently Toxic to Aquatic Organisms
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	Inorganics	Yes	No	Yes

Persistence and degradability

None known.

Product Biodegradability Data

If available, see ingredient data below.

Ingredient Biodegradability Data

Test data reported below

Chemical Name	Test method	Biodegradation	Exposure time	Results
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	None reported	70%	28 days	Readily biodegradable

Bioaccumulation

If available, see ingredient data below.

Product Bioaccumulation Data

If available, see ingredient data below.

Ingredient Bioaccumulation Data

No data available

Chemical Name	Test method	Exposure time	Species	Bioconcentration factor (BCF)	Results
Formaldehyde	None reported	None	None reported	None reported	Does not

Product Code(s) 2684801
 Issue Date 06-Jul-2016
 Version 6

Product Name STABLCAL® FORMAZIN STANDARD 20 NTU
 Revision Date 09-Feb-2017
 Page 17 / 21

(<0.1%) CAS#: 50-00-0		reported			have the potential to bioaccumulate
--------------------------	--	----------	--	--	-------------------------------------

Additional information

Product Information

Partition Coefficient (n-octanol/water) Not applicable

Ingredient Information

Chemical Name	Partition Coefficient (n-octanol/water)	Method
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	log K _{ow} = .?	No information available
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	log K _{ow} = -3	No information available
Formaldehyde (<0.1%) CAS#: 50-00-0	log K _{ow} = 0.35	No information available

Mobility

Mobility in soil: High mobility. If available, see ingredient data below.

Product Information

Soil Organic Carbon-Water Partition Coefficient Not applicable

Ingredient Information

Chemical Name	Soil Organic Carbon-Water Partition Coefficient	Method
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	log K _{oc} = .?	No information available
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	log K _{oc} = -1.4	Estimation through KOCWIN v2.00 part of the Estimation Programs Interface (EPI) Suite™
Formaldehyde (<0.1%) CAS#: 50-00-0	log K _{oc} = 0.89	No information available

Additional information

Water solubility

Product Information

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Ingredient Information

Chemical Name	Water solubility classification	Water solubility	Water solubility temperature °C	Water solubility temperature °F
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	Completely soluble	667000 mg/L	20 °C	68 °F

CAS#: 100-97-0				
Sodium sulfate CAS#: 7757-82-6	Completely soluble	160000 mg/L	20 °C	68 °F
Formaldehyde CAS#: 50-00-0	Completely soluble	> 40000 mg/L	20 °C	68 °F
Ammonium sulfate CAS#: 7783-20-2	Completely soluble	767000 mg/L	25 °C	77 °F

Other adverse effects

Contains a substance with an endocrine-disrupting potential.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

US EPA Waste Number Not applicable, U122

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde 50-00-0	U122	Included in waste streams: K009, K010, K038, K040, K156, K157	-	U122

14. TRANSPORT INFORMATION

DOT Special Provisions Not regulated

TDG Not regulated

IATA Not regulated

IMDG Not regulated

Note: No special precautions necessary.

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

TSCA Complies
DSL/NDSL Complies

TSCA- United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL- Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
TCSI	Complies
AICS	Complies
NZIoC	Complies

EINECS/ELINCS- European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS- Japan Existing and New Chemical Substances

IECSC- China Inventory of Existing Chemical Substances

KECL- Korean Existing and Evaluated Chemical Substances

PICCS- Philippines Inventory of Chemicals and Chemical Substances

TCSI- Taiwan Chemical Substances Inventory

AICS- Australian Inventory of Chemical Substances

NZIoC- New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Formaldehyde (CAS #: 50-00-0)	0.1
Ammonium sulfate (CAS #: 7783-20-2)	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde 50-00-0	100 lb	-	-	X

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Formaldehyde 50-00-0	100 lb	100 lb	RQ 100 lb final RQ RQ 45.4 kg final RQ

U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical Name	U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Formaldehyde (<0.1%) CAS#: 50-00-0	Release - Toxic (solution)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Formaldehyde (CAS #: 50-00-0)	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane 100-97-0	X	-	-
Sodium sulfate 7757-82-6	-	X	X
Formaldehyde 50-00-0	X	X	X
Ammonium sulfate 7783-20-2	-	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical Name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thersholds
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane 100-97-0	Declarable Substance (FI)	0.1 %
Formaldehyde 50-00-0	Declarable Substance (FI) Prohibited Substance (LR) Declarable Substance (LR)	0.1 % 0.0 %

Special Comments

None

NFPA and HMIS Classifications

NFPA	Health hazards - 2	Flammability - 0	Instability - 0	Physical and Chemical Properties -
HMIS	Health hazards - 2	Flammability - 0	Physical Hazards - 0	Personal protection - X - See section 8 for more information

Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH *Immediately Dangerous to Life or Health*
 ACGIH ACGIH (American Conference of Governmental Industrial Hygienists)
 NDF *no data*

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Product Code(s) 2684801
Issue Date 06-Jul-2016
Version 6

Product Name STABLCAL® FORMAZIN STANDARD 20 NTU
Revision Date 09-Feb-2017
Page 21 / 21

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

Prepared By Hach Product Compliance Department

Issue Date 06-Jul-2016

Revision Date 09-Feb-2017

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2016

End of Safety Data Sheet