

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date: September 16, 2014

Revision: September 16, 2014

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** **NIK Test W**
- **Article number:** 800-6088 (1006166)
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
Mandelin Reagent / Amphetamines and Methadone Test Kit
- **1.3 Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
Safariland, LLC  
13386 International Parkway  
Jacksonville, FL 32218  
Customer Care (800) 347-1200
- **1.4 Emergency telephone number:**  
ChemTel Inc.  
(800)255-3924, +1 (813)248-0585



## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



T; Toxic

R25: Toxic if swallowed.



C; Corrosive

R35: Causes severe burns.

- **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

- **Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test W

(Contd. of page 1)

· **Hazard pictograms**

GHS05

· **Signal word** Danger· **Hazard-determining components of labelling:**

sulphuric acid

· **Hazard statements**

H314 Causes severe skin burns and eye damage.

· **Precautionary statements**

P280 Wear protective gloves / eye protection.

P264 Wash thoroughly after handling.

P260 Do not breathe mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Hazard description:**· **WHMIS-symbols:**

D1A - Very toxic material causing immediate and serious toxic effects

E - Corrosive material

· **NFPA ratings (scale 0 - 4)**

Health = 4

Fire = 0

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**

Health = 4

Fire = 0

Reactivity = 0

· **HMIS Long Term Health Hazard Substances**

None of the ingredients is listed.

· **2.3 Other hazards**· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.

(Contd. on page 3)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test W

· vPvB: Not applicable.

(Contd. of page 2)

## SECTION 3: Composition/information on ingredients

### · 3.2 Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

### · Dangerous components:

|                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |         |
|-------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| CAS: 7664-93-9<br>EINECS: 231-639-5<br>Index number: 016-020-00-8 | sulphuric acid<br> C R35<br> Skin Corr. 1A, H314                                                                                                                                                                                                                                                        | 50-100% |
| CAS: 7803-55-6<br>EINECS: 232-261-3                               | ammonium trioxovanadate<br> T+ R28;  Xi R36/37/38<br> Acute Tox. 3, H301<br> Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 | ≤ 2,5%  |

· **Additional information:** For the wording of the listed risk phrases refer to section 16.

## SECTION 4: First aid measures

### · 4.1 Description of first aid measures

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

### · After skin contact:

If skin irritation is experienced, consult a doctor.

Seek immediate medical help for blistering or open wounds.

### · After eye contact:

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. Then consult a doctor.

### · After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

### · 4.2 Most important symptoms and effects, both acute and delayed

Strong caustic effect on skin and mucous membranes.

### · Hazards

Danger of gastric perforation.

Danger of severe eye injury.

### · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## SECTION 5: Firefighting measures

### · 5.1 Extinguishing media

· **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

· **For safety reasons unsuitable extinguishing agents:** None.

(Contd. on page 4)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test W

(Contd. of page 3)

- **5.2 Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.
- **Additional information** No further relevant information available.

## SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.  
Ensure adequate ventilation
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Use limestone to neutralize and absorb spill.  
Dispose contaminated material as waste according to item 13.  
Send for recovery or disposal in suitable receptacles.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Prevent formation of aerosols.  
Avoid splashes or spray in enclosed areas.  
When diluting always pour product into water and not vice versa.  
Use only in well ventilated areas.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:**  
Store away from foodstuffs.  
Do not store together with alkalis (caustic solutions).  
Store away from metals.
- **Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.
- **7.3 Specific end use(s)** No further relevant information available.

(Contd. on page 5)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test W

(Contd. of page 4)

## SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

### 7664-93-9 sulphuric acid

IOELV (EU) Long-term value: 0,05 mg/m<sup>3</sup>PEL (USA) Long-term value: 1 mg/m<sup>3</sup>REL (USA) Long-term value: 1 mg/m<sup>3</sup>TLV (USA) Long-term value: 0,2\* mg/m<sup>3</sup>  
\*as thoracic fractionEL (Canada) Long-term value: 0,2 mg/m<sup>3</sup>  
ACGIH A2; IARC 1EV (Canada) Long-term value: 0,2 mg/m<sup>3</sup>

- **DNELs** No further relevant information available.
- **PNECs** No further relevant information available.
- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- **Respiratory protection:**

Not required under normal conditions of use.

For spills, respiratory protection may be advisable.

Use suitable respiratory protective device when aerosol or mist is formed.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test W

(Contd. of page 5)

- **Eye protection:**  
Contact lenses should not be worn.



Safety glasses

- **Body protection:** Protective work clothing
- **Limitation and supervision of exposure into the environment**  
No further relevant information available.
- **Risk management measures**  
See Section 7 for additional information.  
No further relevant information available.

## SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

|                  |                 |
|------------------|-----------------|
| Form:            | Fluid           |
| Colour:          | Light yellow    |
| Odour:           | Odourless       |
| Odour threshold: | Not determined. |
- pH-value: Not determined.
- **Change in condition**

|                              |                 |
|------------------------------|-----------------|
| Melting point/Melting range: | Not Determined. |
| Boiling point/Boiling range: | Undetermined.   |
- Flash point: Not applicable.
- Flammability (solid, gaseous): Not applicable.
- Auto/Self-ignition temperature: Not determined.
- Decomposition temperature: Not determined.
- Self-igniting: Product is not self-igniting.
- Danger of explosion: Product does not present an explosion hazard.
- **Explosion limits:**

|        |                 |
|--------|-----------------|
| Lower: | Not determined. |
| Upper: | Not determined. |
- Vapour pressure: Not determined.
- Density at 20 °C: 1,79 g/cm<sup>3</sup>
- Relative density: Not determined.
- Vapour density: Not determined.
- Evaporation rate: Not determined.

(Contd. on page 7)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test W

(Contd. of page 6)

- **Solubility in / Miscibility with water:** Fully miscible.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
  - Dynamic:** Not determined.
  - Kinematic:** Not determined.
- **Solvent content:**
  - Solids content:** 1,0 %
- **9.2 Other information** No further relevant information available.

## SECTION 10: Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**  
Reacts with alkali (lyes).  
Corrosive action on metals.  
Reacts with metals forming hydrogen.  
Toxic fumes may be released if heated above the decomposition point.  
Heating occurs when water is added.  
When diluting, always add acid to water, never vice versa.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.

## SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values relevant for classification:**

7803-55-6 ammonium trioxovanadate

|      |      |                 |
|------|------|-----------------|
| Oral | LD50 | 160 mg/kg (rat) |
|------|------|-----------------|

- **Primary irritant effect:**
- **on the eye:** Strong caustic effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Toxic  
Corrosive

(Contd. on page 8)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test W

(Contd. of page 7)

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

## SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
 Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water  
 The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary  
 Do not allow product to reach ground water, water course or sewage system.  
 Must not reach sewage water or drainage ditch undiluted or unneutralized.  
 Danger to drinking water if even small quantities leak into the ground.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
 Must not be disposed together with household garbage. Do not allow product to reach sewage system.  
 Dilute concentrate with water and neutralize afterwards with suitable alkali material (sodium hydroxide solution, lime). The formed neutral salts are relatively environment-friendly.  
 The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

## SECTION 14: Transport information

- **14.1 UN-Number**
  - **DOT, ADR, IMDG, IATA**
  - **14.2 UN proper shipping name**
  - **DOT**
  - **ADR**
  - **IMDG, IATA**
- |                     |
|---------------------|
| UN1830              |
| Sulfuric acid       |
| 1830 SULPHURIC ACID |
| SULPHURIC ACID      |

(Contd. on page 9)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test W

(Contd. of page 8)

## · 14.3 Transport hazard class(es)

## · DOT



- Class 8 Corrosive substances.
- Label 8

## · ADR



- Class 8 (C1) Corrosive substances.
- Label 8

## · IMDG, IATA



- Class 8 Corrosive substances.
- Label 8
- 14.4 Packing group
- DOT, ADR, IMDG, IATA II
- 14.5 Environmental hazards:
- Marine pollutant: No
- 14.6 Special precautions for user Warning: Corrosive substances.
- Danger code (Kemler): 80
- EMS Number: F-A,S-B
- Segregation groups Acids
- 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.
- Transport/Additional information:

## · ADR

- Limited quantities (LQ) 1L
- Excepted quantities (EQ) Code: E2
- Maximum net quantity per inner packaging: 30 ml
- Maximum net quantity per outer packaging: 500 ml
- Transport category 2
- Tunnel restriction code E

## · IMDG

- Limited quantities (LQ) 1L
- Excepted quantities (EQ) Code: E2
- Maximum net quantity per inner packaging: 30 ml
- Maximum net quantity per outer packaging: 500 ml

(Contd. on page 10)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test W

· UN "Model Regulation":

UN1830, SULPHURIC ACID, 8, II

(Contd. of page 9)

## SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- SARA

- Section 355 (extremely hazardous substances):

|           |                |
|-----------|----------------|
| 7664-93-9 | sulphuric acid |
|-----------|----------------|

- Section 313 (Specific toxic chemical listings):

|           |                |
|-----------|----------------|
| 7664-93-9 | sulphuric acid |
|-----------|----------------|

|           |                         |
|-----------|-------------------------|
| 7803-55-6 | ammonium trioxovanadate |
|-----------|-------------------------|

- TSCA (Toxic Substances Control Act):

|                             |
|-----------------------------|
| All ingredients are listed. |
|-----------------------------|

- Proposition 65 (California):

- Chemicals known to cause cancer:

|                                    |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

- Chemicals known to cause reproductive toxicity for females:

|                                     |
|-------------------------------------|
| None of the ingredients are listed. |
|-------------------------------------|

- Chemicals known to cause reproductive toxicity for males:

|                                    |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

- Chemicals known to cause developmental toxicity:

|                                    |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

- Carcinogenic Categories

- EPA (Environmental Protection Agency)

|                                    |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

- IARC (International Agency for Research on Cancer)

|                                    |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

- TLV (Threshold Limit Value established by ACGIH)

|           |                |    |
|-----------|----------------|----|
| 7664-93-9 | sulphuric acid | A2 |
|-----------|----------------|----|

- NIOSH-Ca (National Institute for Occupational Safety and Health)

|                                    |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

- Canada

- Canadian Domestic Substances List (DSL)

|                             |
|-----------------------------|
| All ingredients are listed. |
|-----------------------------|

- Canadian Ingredient Disclosure list (limit 0.1%)

|                                    |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

- Canadian Ingredient Disclosure list (limit 1%)

|           |                |
|-----------|----------------|
| 7664-93-9 | sulphuric acid |
|-----------|----------------|

(Contd. on page 11)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test W

(Contd. of page 10)

7803-55-6 ammonium trioxovanadate

· **Other regulations, limitations and prohibitive regulations**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

· **Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients is listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H301 Toxic if swallowed.  
 H314 Causes severe skin burns and eye damage.  
 H315 Causes skin irritation.  
 H319 Causes serious eye irritation.  
 H335 May cause respiratory irritation.  
 R28 Very toxic if swallowed.  
 R35 Causes severe burns.  
 R36/37/38 Irritating to eyes, respiratory system and skin.

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
 ACGIH: American Conference of Governmental Industrial Hygienists  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 NFPA: National Fire Protection Association (USA)  
 HMIS: Hazardous Materials Identification System (USA)  
 WHMIS: Workplace Hazardous Materials Information System (Canada)  
 DNEL: Derived No-Effect Level (REACH)  
 PNEC: Predicted No-Effect Concentration (REACH)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 Acute Tox. 3: Acute toxicity, Hazard Category 3  
 Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A  
 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2  
 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2  
 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

· **Sources**

SDS Prepared by:  
 ChemTel Inc.  
 1305 North Florida Avenue  
 Tampa, Florida USA 33602-2902  
 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

(Contd. on page 12)

**Safety Data Sheet**  
**according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and**  
**GHS**

Printing date: September 16, 2014

Revision: September 16, 2014

|                               |
|-------------------------------|
| <b>Trade name: NIK Test W</b> |
|-------------------------------|

|                                                                     |
|---------------------------------------------------------------------|
| Website: <a href="http://www.chemtelinc.com">www.chemtelinc.com</a> |
|---------------------------------------------------------------------|

(Contd. of page 11)