

# ITEM: 4F963 - Cutting Oil 16 oz Squeeze Bottle

PICK\_REQ: 1427082834

SAFETY DATA SHEET (SDS)

SDS: D6979

This SDS should be attached or kept with the respective product with which it is associated.

##### SDS - D6979 #####

Associated Items  
12N694, 12N695, 4F963, 6Y645, 6Y646, 6Y647

SAFETY DATA SHEET

ACCORDING TO 29CFR1910/1200 AND GHS REV. 3

EFFECTIVE DATE: 03.18.2015

TAP MAGIC EP-XTRA

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE SUPPLIER

PRODUCT NAME: TAP MAGIC EP-XTRA

MANUFACTURER/SUPPLIER TRADE NAME:

MANUFACTURER/SUPPLIER ARTICLE NUMBER:  
10004E, 10016E, 10128E, 10640E, 13840E, 17040E

RECOMMENDED USES OF THE PRODUCT AND RESTRICTIONS ON USE:  
MACHINING, CUTTING, TAPPING, AND METAL PROCESSING.

SPECIAL NOTES ON PRODUCT USES:  
AFTER USE OF THIS PRODUCT, CLEAN AND LUBRICATE METAL SURFACES TO AVOID STAINING AND/OR CORROSION.

MANUFACTURER DETAILS:  
THE STECO CORPORATION  
2330 CANTRELL ROAD  
LITTLE ROCK, AR 72202  
USA

501-375-5644

WEBSITE: WWW.TAPMAGIC.COM

EMAIL: STECO@TAPMAGIC.COM

EMERGENCY TELEPHONE NUMBER:  
CHEMTEL INC.: (800)255-3924, +1(813)248-0585

## SECTION 2: HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:

SIGNAL WORD: NONE

HAZARD STATEMENTS: NONE

PRECAUTIONARY STATEMENTS: NONE

OTHER NON-GHS CLASSIFICATION:

WHMIS: NONE

NFPA/HMIS:

NFPA SCALE (0-4):

1  
1  
0  
0

HMIS RATINGS (0-4):

HEALTH 1  
FLAMMABILITY 1  
PHYSICAL HAZARD 0  
PERSONAL PROTECTION X

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENTS:

CAS: 64742-53-6 HYDROTREATED OIL 1-60%

CAS: 63449-39-8 PARAFFIN WAX COMPOUND 1-25%

PERCENTAGES ARE BY WEIGHT

## SECTION 4: FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES:

AFTER INHALATION:  
MOVE EXPOSED INDIVIDUAL TO FRESH AIR. LOOSEN CLOTHING AS NECESSARY AND POSITION INDIVIDUAL IN A COMFORTABLE POSITION. SEEK MEDICAL ADVICE IF DISCOMFORT OR IRRITATION PERSISTS. IF BREATHING DIFFICULT, GIVE OXYGEN.

AFTER SKIN CONTACT:  
WASH AFFECTED AREA WITH SOAP AND WATER. RINSE/FLUSH EXPOSED SKIN GENTLY USING WATER FOR 15-20 MINUTES. SEEK MEDICAL ADVICE IF DISCOMFORT OR IRRITATION PERSISTS.

AFTER EYE CONTACT:  
PROTECT UNEXPOSED EYE. RINSE/FLUSH EXPOSED EYE(S) GENTLY USING WATER FOR 15-20 MINUTES. REMOVE CONTACT LENS(ES) IF ABLE TO DO SO DURING RINSING. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS OR IF CONCERNED.

AFTER SWALLOWING:  
IF SWALLOWED:  
IMMEDIATELY CALL A POISON CENTER OR DOCTOR. DO NOT INDUCE VOMITING.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

IRRITATION. NAUSEA.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:  
IF SEEKING MEDICAL ATTENTION PROVIDE SDS DOCUMENT TO PHYSICIAN. PHYSICIAN SHOULD TREAT SYMPTOMATICALLY.

## SECTION 5: FIREFIGHTING MEASURES

EXTINGUISHING MEDIA:

SUITABLE EXTINGUISHING AGENTS:  
USE WATER, DRY CHEMICAL, CHEMICAL FOAM, CARBON DIOXIDE, OR ALCOHOL-RESISTANT FOAM.

UNSUITABLE EXTINGUISHING AGENTS: NONE IDENTIFIED.

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:  
THERMAL DECOMPOSITION CAN LEAD TO RELEASE OF IRRITATING GASES AND VAPORS.

ADVICE FOR FIREFIGHTERS:

PROTECTIVE EQUIPMENT:  
SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING MUST BE WORN IN CASE OF FIRE.

ADDITIONAL INFORMATION (PRECAUTIONS):  
AVOID INHALING GASES, FUMES, DUST, MIST, VAPOR, AND AEROSOLS. AVOID CONTACT WITH SKIN, EYES, AND CLOTHING.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:  
ENSURE ADEQUATE VENTILATION. ENSURE THAT AIR-HANDLING SYSTEMS ARE OPERATIONAL.

ENVIRONMENTAL PRECAUTIONS: SHOULD NOT BE RELEASED INTO ENVIRONMENT.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP:  
WEAR PROTECTIVE EYEWEAR, GLOVES, AND CLOTHING. REFER TO SECTION 8. KEEP IN SUITABLE CLOSED CONTAINERS FOR DISPOSAL. REFER TO SECTION 13. ALWAYS OBEY LOCAL REGULATIONS.

REFERENCE TO OTHER SECTIONS: NONE

## SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:  
AVOID CONTACT WITH SKIN, EYES, AND CLOTHING. FOLLOW PROPER DISPOSAL METHODS. REFER TO SECTION 13. DO NOT EAT, DRINK, SMOKE, OR USE PERSONAL PRODUCTS WHEN HANDLING CHEMICAL SUBSTANCES. USE ONLY WITH ADEQUATE VENTILATION.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:  
KEEP CONTAINER TIGHTLY SEALED. STORE AWAY FROM INCOMPATIBLE MATERIALS.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

CHEMICAL GOGGLES

GLOVES

FULL SUIT

CONTROL PARAMETERS: NO APPLICABLE OCCUPATIONAL EXPOSURE LIMITS.

APPROPRIATE ENGINEERING CONTROLS:  
EMERGENCY EYE WASH FOUNTAINS AND SAFETY SHOWERS SHOULD BE AVAILABLE IN THE IMMEDIATE VICINITY OF USE OR HANDLING. PROVIDE EXHAUST VENTILATION OR OTHER ENGINEERING CONTROLS TO KEEP THE AIRBORNE CONCENTRATIONS OF VAPOR AND MISTS BELOW THE APPLICABLE WORKPLACE EXPOSURE LIMITS (OCCUPATIONAL EXPOSURE LIMITS-OELS) INDICATED ABOVE.

RESPIRATORY PROTECTION:

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE RESPIRATOR WITH MULTIPURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN(EU).

PROTECTION OF SKIN:

SELECT GLOVE MATERIAL IMPERMEABLE AND RESISTANT TO THE SUBSTANCE. SELECT GLOVE MATERIAL BASED ON RATES OF DIFFUSION AND DEGRADATION. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. USE PROPER GLOVE REMOVAL TECHNIQUE WITHOUT TOUCHING OUTER SURFACE. AVOID SKIN CONTACT WITH USED GLOVES. CONTACT GLOVE MANUFACTURER FOR SPECIFIC INFORMATION. WEAR APPROPRIATE CLOTHING TO PREVENT ANY POSSIBILITY OF SKIN CONTACT.

EYE PROTECTION:

SAFETY GLASSES OR GOGGLES ARE APPROPRIATE EYE PROTECTION.

GENERAL HYGIENIC MEASURES: AVOID CONTACT WITH SKIN, EYES, AND CLOTHING.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE (PHYSICAL STATE): LIQUID, AMBER

EXPLOSION LIMIT LOWER:

EXPLOSION: NOT DETERMINED

ODOR: MILD

VAPOR PRESSURE AT 20 DEG. C: NOT DETERMINED

ODOR THRESHOLD: NOT DETERMINED

VAPOR DENSITY: NOT DETERMINED

WWW.GSMSDS.COM

THIS SDS APPLIES TO PART NUMBERS:

10004E, 10016E, 10128E, 10640E, 13840E, 17040E