



MATERIAL SAFETY DATA SHEET

I. PRODUCT IDENTIFICATION

Product Name ADHESIVE/SEALANT 242 Part No. 242
Product Type Anaerobic Formula No. _____

II. COMPOSITION

<u>Ingredients</u>	<u>% by Wt.</u>	<u>Hazard</u>
Polyglycol Dimethacrylates	60-65	See Section IV. ↓
Polyglycol Oleates	25-30	
Saccharin**	3-5	
Silicon Dioxide***	<2	
Cumene Hydroperoxide*	<2	
N,N-Dialkyltoluidine	<1	

*In a single test, pure cumene hydroperoxide caused tumors in one of thirty experimental animals when injected under the skin. **Saccharin has been shown to cause tumors in experimental animals when fed in large amounts for prolonged periods. ***Inhalation of pure silicon dioxide dust has been shown to cause pulmonary effects. In light of the low concentration of these components in the product, it is our best technical judgment that normal use of this product poses no such hazards. These warnings are present only to comply with OSHA regulations.

III. CHEMICAL AND PHYSICAL PROPERTIES

Vapor Pressure <u>< 5 mm at 80°F</u>	Specific Gravity <u>1.1 at 75°F</u>
Vapor Density <u>Unknown</u>	Boiling Point <u>> 300°F</u>
Solubility in Water <u>Slight</u>	pH <u>dn</u>
Appearance <u>Blue Liquid</u>	Odor <u>Mild</u>

IV. TOXICITY AND HEALTH HAZARD DATA

Toxicity
Oral LD50 >5000 mg/kg TLV Does not apply
Dermal LD50 >2000 mg/kg
Symptoms of Overexposure May cause dermatitis on prolonged contact in sensitive individuals.

Emergency Treatment Procedures
Ingestion: Do not induce vomiting. Keep individual calm. Obtain medical attention.
Inhalation: Does not apply.
Skin Contact: Flush with water.
Eye Contact: Flush with water.

Personal Protection
Eyes: Safety glasses recommended.
Skin: Rubber or plastic gloves recommended.
Ventilation: Not normally necessary.

ADHESIVE/SEALANT 242

V. FLAMMABILITY AND EXPLOSIVE PROPERTIES

Flash point > 200°F Method T.C.C.
Explosive Limits (% by volume in air) Lower dna % Upper dna %
Recommended Extinguishing Agents CO2, Foam, Dry Chemical
Hazardous Products Formed by Fire or Thermal Decomposition: Irritating organic vapors.
Unusual Fire or Explosion Hazards: None
Compressed Gasses Name None
Pressure at Room Temperature _____

VI. REACTIVITY DATA

Stability Stable Unstable
Hazardous Polymerization May Occur Will Not Occur
Hazardous Decomposition Products (non-thermal)
None
Incompatibility None

VII. SPILL OR LEAK AND DISPOSAL PROCEDURES

Steps to be taken in case of spill or leak: Soak up in an inert absorbent. Store in partly filled, closed container until disposal.
Recommended methods of disposal: Bury or incinerate in accordance with EPA and local regulations.

VIII. STORAGE AND HANDLING PROCEDURES

Storage: Store below 110°F to preserve shelf-life.
Handling: Avoid prolonged skin contact.

IX. SHIPPING REGULATIONS

Type or Class DOT Unrestricted
IATA Unrestricted

Prepared By: Martin Hauser
Title: Vice President - Environmental Health and Safety
Date: November 1, 1985



**Loctite
Corporation**

705 North Mountain Road
Newington, Connecticut 06111
Telephone: (203) 278-1280
Telex: 275207

SARA TITLE III

ADHESIVE/SEALANT 242

242

The ingredients listed below are listed in Section 313 of Title III of the Superfund Amendments and Reauthorization Act.

<u>INGREDIENT</u>	<u>CAS NUMBER</u>	<u>AMOUNT</u>
Cumene Hydroperoxide	80-15-9	<2
Saccharin	81-07-2	3-5

January 1, 1989

Stephen Repetto

Research Chemist, Environmental Health & Safety

SR/rbh