



Be Right™

SAFETY DATA SHEET

Issue Date 12-Jul-2016

Revision Date 10-Aug-2016

Version 3

Page 1 / 16

1. IDENTIFICATION

Product identifier

Product Name Low Range Chlorine Standard Solution, 25 - 30 mg/l

Other means of identification

Product Code(s)

2630050

Safety data sheet number M01207

Component of Kits or Sets Not applicable

Recommended use of the chemical and restrictions on use

Recommended Use Standard solution.

Uses advised against None.

Restrictions on use None.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company
P.O.Box 389 Loveland, CO 80539 USA
(970) 669-3050

Emergency telephone number

(303) 623-5716 - 24 Hour Service (515)232-2533 - 8am - 4pm CST

Product Information

Chemical Name Not applicable

Formula Not applicable

CAS No Not applicable

Alternate CAS Number Not applicable

NIOSH (RTECS) Number None reported

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word - Danger

Product Code(s) 2630050

Issue Date 12-Jul-2016

Version 3

Product Name Low Range Chlorine Standard Solution, 25 - 30 mg/l

Revision Date 10-Aug-2016

Page 2 / 16



Hazard statements

H314 - Causes severe skin burns and eye damage

Precautionary statements

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P310 - Immediately call a POISON CENTER or doctor/physician

P363 - Wash contaminated clothing before reuse

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

Other Information

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family

Mixture.

Percent ranges are used where confidential product information is applicable.

Chemical Name	CAS No	Percent Range	HMRIC #
Potassium hydroxide	1310-58-3	<0.01	-
Hypochlorous acid	7790-92-3	<0.01	-

Product Code(s) 2630050

Issue Date 12-Jul-2016

Version 3

Product Name Low Range Chlorine Standard Solution, 25 - 30 mg/l

Revision Date 10-Aug-2016

Page 3 / 16

4. FIRST AID MEASURES

Description of first aid measures

General advice	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician immediately.
Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a physician immediately.
Ingestion	IF SWALLOWED: Rinse Mouth. Do NOT induce vomiting. Call a physician immediately.
Self-protection of the first aider	Use personal protective equipment as required. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Most important symptoms and effects, both acute and delayed

Symptoms See Section 11: TOXICOLOGICAL INFORMATION.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Flammable properties

Substance does not burn.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Hazardous combustion products This material will not burn.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice	Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.
EC Notice	Only persons properly qualified to respond to an emergency involving hazardous

Product Code(s) 2630050

Issue Date 12-Jul-2016

Version 3

Product Name Low Range Chlorine Standard Solution, 25 - 30 mg/l

Revision Date 10-Aug-2016

Page 4 / 16

substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.

WHMIS Notice

Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.

Personal precautions, protective equipment and emergency procedures

Personal precautions

Evacuate personnel to safe areas. Do not touch or walk through spilled material. Ventilate affected area. Use personal protective equipment as required.

For emergency responders

Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions

Avoid release to the environment. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up

Neutralize spill if necessary. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Dispose of in accordance with local, state and federal regulations or laws.

Emergency Response Guide Number

Not applicable

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Do not breathe dust/fume/gas/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep in properly labeled containers.

Flammability class

Not applicable

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium hydroxide <0.01	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

Chemical Name	Alberta OEL	British Columbia OEL	Manitoba OEL	New Brunswick OEL	New Foundland & Labrador OEL
Potassium hydroxide <0.01	Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

Product Code(s) 2630050

Issue Date 12-Jul-2016

Version 3

Product Name Low Range Chlorine Standard Solution, 25 - 30 mg/l

Revision Date 10-Aug-2016

Page 5 / 16

Chemical Name	Northwest Territories OEL	Nova Scotia OEL	Nunavut OEL	Ontario TWA	Prince Edward Island OEL
Potassium hydroxide <0.01	Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

Chemical Name	Quebec OEL	Saskatchewan OEL	Yukon OEL
Potassium hydroxide <0.01	Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Legend See section 16 for terms and abbreviations

Appropriate engineering controls

Engineering Controls None under normal use conditions

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes. Wear tight sealing safety goggles and/or face protection shield.

Skin and body protection Gloves made of plastic or rubber. Rubber boots. Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Wear chemical resistant clothing such as gloves, apron, boots or whole bodysuits made from neoprene, as appropriate.

Respiratory protection Do not breathe gas/fumes/vapor/spray. If no local exhaust use approved fume hood and/or respirator. In case of inadequate ventilation wear respiratory protection.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls

Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Gas Under Pressure Not classified according to GHS criteria

Appearance aqueous solution

Color colorless

Odor Odorless

Odor threshold No data available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Molecular weight	No data available	
pH	12.5	
Melting point/freezing point	0 °C / 32 °F	
Boiling point / boiling range	100 °C / 212 °F	
Evaporation rate	1 (water = 1)	

Product Code(s) 2630050

Issue Date 12-Jul-2016

Version 3

Product Name Low Range Chlorine Standard Solution, 25 - 30 mg/l

Revision Date 10-Aug-2016

Page 6 / 16

Vapor pressure 24.002 mm Hg / 3.2 kPa at 25 °C / 77 °F

Vapor density (air = 1) 0.62

Specific gravity (water = 1 / air = 1) 0.999

Partition Coefficient (n-octanol/water) Not applicable

Soil Organic Carbon-Water Partition Coefficient Not applicable

Autoignition temperature No data available

Decomposition temperature No data available

Dynamic viscosity 1 cP (mPa s) at 20 °C / 68 °F

Kinematic viscosity 1.001 cSt (mm²/s) at 20 °C / 68 °F

Solubility(ies)

Water solubility

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

<u>Chemical Name</u>	<u>Solubility classification</u>	<u>Solubility</u>	<u>Solubility Temperature</u>
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F
Most Polar Organic Solvents	Soluble	> 1000 mg/L	25 °C / 77 °F

Other Information

Metal Corrosivity Not classified as corrosive to metal according to GHS criteria

Steel Corrosion Rate 0.18 mm/yr / 0.01 in/yr

Aluminum Corrosion Rate 0 mm/yr / 0 in/yr

Bulk density Not applicable

Explosive properties Not classified according to GHS criteria.

Explosion data No data available

Upper explosion limit No data available

Lower explosion limit No data available

Flammable properties Not classified as flammable according to GHS criteria.

Flammability Limit in Air

Upper flammability limit: No data available

Lower flammability limit: No data available

Flash point No data available

Product Code(s) 2630050

Issue Date 12-Jul-2016

Version 3

Product Name Low Range Chlorine Standard Solution, 25 - 30 mg/l

Revision Date 10-Aug-2016

Page 7 / 16

Method

No information available

Oxidizing properties

Not classified according to GHS criteria.

Reactivity properties

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.

10. STABILITY AND REACTIVITY

Reactivity properties

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria

Chemical stability

Stable under recommended storage conditions.

Special dangers of the product

None reported

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Extreme temperatures. Exposure to direct sunlight. Exposure to air or moisture over prolonged periods.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Explosive properties

Not classified according to GHS criteria.

Upper explosion limit

No data available

Lower explosion limit

No data available

Autoignition temperature

No data available

Sensitivity to Static Discharge

None reported

Sensitivity to Mechanical Impact

None reported

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information	Corrosive to skin. Corrosive to eyes.
Inhalation	Causes burns.

Product Code(s) 2630050

Issue Date 12-Jul-2016

Version 3

Product Name Low Range Chlorine Standard Solution, 25 - 30 mg/l

Revision Date 10-Aug-2016

Page 8 / 16

Eye contact	Causes burns. Corrosive to eyes.
Skin contact	Causes burns.
Ingestion	Causes burns.
Aggravated Medical Conditions	Eye disorders. Skin disorders. Respiratory disorders.
Toxicologically synergistic products	None known.
Toxicokinetics, metabolism and distribution	See ingredients information below.

Chemical Name	Toxicokinetics, metabolism and distribution
Potassium hydroxide (<0.01) CAS#: 1310-58-3	K ⁺ starts to be toxic at levels > 200-250mg/L. It's concentration is regulated by renal excretion/reabsorption. The impact of the OH ⁻ on blood pH is regulated by the bicarbonate buffer system, respiration and renal compensation.

Product Acute Toxicity Data

Oral Exposure Route	No data available
Dermal Exposure Route	No data available
Inhalation (Dust/Mist) Exposure Route	No data available
Inhalation (Vapor) Exposure Route	No data available
Inhalation (Gas) Exposure Route	No data available

Ingredient Acute Toxicity Data

Oral Exposure Route

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Potassium hydroxide (<0.01) CAS#: 1310-58-3	Rat LD ₅₀	1250 mg/kg	None reported	None reported	IUCLID (The International Uniform Chemical Information Database)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Potassium hydroxide (<0.01) CAS#: 1310-58-3	Rat LD ₅₀	284 mg/kg	None reported	Death was a result of corrosivity.	Vendor SDS

Dermal Exposure Route	No data available
Inhalation (Dust/Mist) Exposure Route	No data available
Inhalation (Vapor) Exposure Route	No data available
Inhalation (Gas) Exposure Route	No data available

Product Skin Corrosion/Irritation Data

No data available.

Ingredient Skin Corrosion/Irritation Data

Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Potassium hydroxide (<0.01)	Standard Draize Test	Human	50 mg	24 hours	Corrosive to skin	RTECS (Registry of Toxic Effects of

Product Code(s) 2630050

Product Name Low Range Chlorine Standard Solution, 25 - 30 mg/l

Issue Date 12-Jul-2016

Revision Date 10-Aug-2016

Version 3

Page 9 / 16

CAS#: 1310-58-3						Chemical Substances)
-----------------	--	--	--	--	--	----------------------

Product Serious Eye Damage/Eye Irritation Data

No data available.

Ingredient Eye Damage/Eye Irritation Data

Toxicological data for ingredients is not indicative of likely harm.

Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Potassium hydroxide (<0.01) CAS#: 1310-58-3	Existing human experience	Human	None reported	None reported	Corrosive to eyes	ERMA (New Zealand's Environmental Risk Management Authority)

Sensitization Information

Product Sensitization Data

Skin Sensitization Exposure Route No data available.

Respiratory Sensitization Exposure Route No data available.

Ingredient Sensitization Data

Skin Sensitization Exposure Route Toxicological data for ingredients is not indicative of likely harm.

Chemical Name	Test method	Species	Results	Key literature references and sources for data
Potassium hydroxide (<0.01) CAS#: 1310-58-3	Intracutaneous Test	Guinea pig	Not confirmed to be a skin sensitizer	IUCLID (The International Uniform Chemical Information Database)

Respiratory Sensitization Exposure Route No data available.

Chronic Toxicity Information

Product Repeat Dose Toxicity Data

Oral Exposure Route No data available.

Dermal Exposure Route No data available.

Inhalation (Dust/Mist) Exposure Route No data available.

Inhalation (Vapor) Exposure Route No data available.

Inhalation (Gas) Exposure Route No data available.

Ingredient Repeat Dose Toxicity Data

Oral Exposure Route Toxicological data for ingredients is not indicative of likely harm.

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

Product Code(s) 2630050

Issue Date 12-Jul-2016

Version 3

Product Name Low Range Chlorine Standard Solution, 25 - 30 mg/l

Revision Date 10-Aug-2016

Page 10 / 16

Chemical Name	CAS No	ACGIH	IARC	NTP	OSHA
Potassium hydroxide	1310-58-3	-	-	-	-
Hypochlorous acid	7790-92-3	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA (Occupational Safety and Health Administration of the US Department of Labor)	X - Present

Product Carcinogenicity Data No data available

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

Ingredient Carcinogenicity Data

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

Product Germ Cell Mutagenicity *invitro* Data

No data available.

Ingredient Germ Cell Mutagenicity *invitro* Data

Toxicological data for ingredients is not indicative of likely harm.

Chemical Name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Potassium hydroxide (<0.01) CAS#: 1310-58-3	Cytogenetic analysis	Rat ascites tumor	1800 mg/kg	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Potassium hydroxide (<0.01) CAS#: 1310-58-3	Cytogenetic analysis	Hamster ovary	12 mmol/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and

Product Code(s) 2630050

Issue Date 12-Jul-2016

Version 3

Product Name Low Range Chlorine Standard Solution, 25 - 30 mg/l

Revision Date 10-Aug-2016

Page 11 / 16

						sources for data
Potassium hydroxide (<0.01) CAS#: 1310-58-3	Mutation in microorganisms	Escherichia coli	None reported	None reported	Negative test result for mutagenicity	No information available

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

Ingredient Germ Cell Mutagenicity *in vivo* Data

Oral Exposure Route Toxicological data for ingredients is not indicative of likely harm.

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

Ingredient Reproductive Toxicity Data

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity Based on the classification principles, not classified as hazardous to the environment.

Product Ecological Data

Aquatic toxicity

Fish No data available

Crustacea No data available

Product Code(s) 2630050

Issue Date 12-Jul-2016

Version 3

Product Name Low Range Chlorine Standard Solution, 25 - 30 mg/l

Revision Date 10-Aug-2016

Page 12 / 16

Algae No data available

Terrestrial toxicity

Soil No data available

Vertebrates No data available

Invertebrates No data available

Ingredient Ecological Data

Aquatic toxicity

Fish

Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Potassium hydroxide (<0.01) CAS#: 1310-58-3	96 hours	<i>Gambusia affinis</i>	LC ₅₀	80 mg/L	ERMA (New Zealand's Environmental Risk Management Authority)

Crustacea

Algae No data available

Terrestrial toxicity

Soil No data available

Vertebrates No data available

Invertebrates No data available

Other Information

Persistence and degradability

None known.

Product Biodegradability Data

No data available.

Ingredient Biodegradability Data

No data available

Bioaccumulation

None known.

Product Bioaccumulation Data

Test data reported below.

Ingredient Bioaccumulation Data

No data available

Additional information

Product Information

Product Code(s) 2630050

Issue Date 12-Jul-2016

Version 3

Product Name Low Range Chlorine Standard Solution, 25 - 30 mg/l

Revision Date 10-Aug-2016

Page 13 / 16

Partition Coefficient (n-octanol/water)

Not applicable

Ingredient Information

Chemical Name	Partition Coefficient (n-octanol/water)	Method
Potassium hydroxide (<0.01) CAS#: 1310-58-3	log K _{ow} >= 0.65	No information available

Mobility

Mobility in soil: High mobility. If available, see ingredient data below.

Product Information

Soil Organic Carbon-Water Partition Coefficient

Not applicable

Ingredient Information

No data available

Additional information

Water solubility

Product Information

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Ingredient Information

Chemical Name	Water solubility classification	Water solubility	Water solubility temperature °C	Water solubility temperature °F
Potassium hydroxide (<0.01) CAS#: 1310-58-3	Completely soluble	1130000 mg/L	20 °C	68 °F
Hypochlorous acid (<0.01) CAS#: 7790-92-3	Completely soluble	> 10000 mg/L	25 °C	77 °F

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

US EPA Waste Number

D002

Special instructions for disposal

Dilute material with excess water making a weaker than 5% solution. Adjust to a pH

Product Code(s) 2630050

Issue Date 12-Jul-2016

Version 3

Product Name Low Range Chlorine Standard Solution, 25 - 30 mg/l

Revision Date 10-Aug-2016

Page 14 / 16

between 6 and 9 with an acid, such as sulfuric or citric. If permitted by regulation,. Open cold water tap completely, slowly pour the reacted material to the drain. Check with national, local municipal and state authorities and waste contractors for pertinent local information on the disposal of this article.

14. TRANSPORT INFORMATION

DOT	Not regulated
TDG	Not regulated
IATA	Not regulated
IMDG	Not regulated
Note:	No special precautions necessary.

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

TSCA	Complies
DSL/NDSL	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
TCSI	Complies
AICS	Complies
NZIoC	Does not comply

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Product Code(s) 2630050

Product Name Low Range Chlorine Standard Solution, 25 - 30 mg/l

Issue Date 12-Jul-2016

Revision Date 10-Aug-2016

Version 3

Page 15 / 16

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide 1310-58-3	1000 lb	-	-	X

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium hydroxide 1310-58-3	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Potassium hydroxide 1310-58-3	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA and HMIS Classifications

NFPA	Health hazards - 3	Flammability - 0	Instability - 0	Physical and Chemical Properties -
HMIS	Health hazards - 3	Flammability - 0	Physical hazards - 0	Personal protection - X - See section 8 for more information

Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH

Immediately Dangerous to Life or Health

Product Code(s) 2630050

Product Name Low Range Chlorine Standard Solution, 25 - 30 mg/l

Issue Date 12-Jul-2016

Revision Date 10-Aug-2016

Version 3

Page 16 / 16

ACGIH
NDF

ACGIH (American Conference of Governmental Industrial Hygienists)
no data

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

Prepared By Hach Product Compliance Department

Issue Date 12-Jul-2016

Revision Date 10-Aug-2016

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2015

End of Safety Data Sheet