

SAFETY DATA SHEET

According to US Regulation 29 CFR 1910.1200 (HazCom 2012)

1. Identification

Product identifier: Chloroform

Other means of identification

Synonyms: Trichloromethane; Methyl trichloride; Methane trichloride
Product No.: 4432, 4440, 4441, 4443, 4444, 9174, 9175, 9180, 9182, 9183, 9184, 9185, 9188, 9257, H407, V551, 11207

Recommended restrictions

Recommended use: For Laboratory, Research or Manufacturing Use.
Restrictions on use: Not determined.

Details of the supplier of the safety data sheet

Company Name: Avantor Performance Materials, LLC
Address: 100 Matsonford Rd, Suite 200
 Radnor, PA 19087

Telephone: Customer Service: 855-282-6867

Contact Person: Product Information Compliance
E-mail: info@avantormaterials.com

Emergency telephone number:

CHEMTREC: 1-800-424-9300 within US and Canada (24 hrs/day, 7 days/week)

2. Hazard(s) identification

Hazard Classification

Health Hazards

Acute toxicity (Oral)	Category 4
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2A
Carcinogenicity	Category 2
Toxic to reproduction	Category 2
Specific Target Organ Toxicity - Single Exposure	Category 1 ¹
Specific Target Organ Toxicity - Repeated Exposure (Oral)	Category 1 ²

Target Organs

1. Central nervous system
2. Liver, Kidney

Unknown toxicity - Health

Acute toxicity, inhalation, vapor 100 %

Environmental Hazards

Acute hazards to the aquatic environment	Category 3
Chronic hazards to the aquatic environment	Category 3

Unknown toxicity - Environment

Acute hazards to the aquatic environment	0 %
Chronic hazards to the aquatic environment	100 %

Label Elements

Hazard Symbol:



Signal Word: Danger

Hazard Statement: Harmful if swallowed.
Causes serious eye irritation.
Causes skin irritation.
Causes damage to organs.
Causes damage to organs through prolonged or repeated exposure.
Suspected of causing cancer.
Suspected of damaging fertility or the unborn child.
Harmful to aquatic life with long lasting effects.

Precautionary Statements

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Avoid release to the environment.

Response: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. IF exposed or concerned: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing.

Storage: Store locked up.

Disposal: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC): None.

3. Composition/information on ingredients

Substances

Chemical Identity	CAS number	Content in percent (%)*
Chloroform	67-66-3	99.80 - 100.00%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information:	Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.
Ingestion:	Rinse mouth. Call a POISON CENTER/doctor if you feel unwell.
Inhalation:	Move to fresh air. Get medical attention if symptoms occur.
Skin Contact:	Wash skin thoroughly with soap and water. Get medical attention if symptoms occur. Wash contaminated clothing before reuse.
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Call a physician or poison control center immediately.

Most important symptoms/effects, acute and delayed

Symptoms:	Harmful if swallowed. Irritating to eyes, respiratory system and skin. Narcotic effect. May cause reproductive effects.
Hazards:	None known.

Indication of immediate medical attention and special treatment needed

Treatment:	Treat symptomatically. Symptoms may be delayed.
-------------------	-------------------------------------------------

5. Fire-fighting measures

General Fire Hazards:	In case of fire and/or explosion do not breathe fumes.
------------------------------	--------------------------------------------------------

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media:	Water spray, foam, dry powder or carbon dioxide.
Unsuitable extinguishing media:	None known.

Specific hazards arising from the chemical:	Fire may produce irritating, corrosive and/or toxic gases.
----------------------------------------------------	------------------------------------------------------------

Special protective equipment and precautions for firefighters

Special fire fighting procedures:	Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool. Cool containers exposed to flames with water until well after the fire is out.
------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
--------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:	Keep unauthorized personnel away. Ventilate closed spaces before entering them. Use personal protective equipment. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
Methods and material for containment and cleaning up:	Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.
Notification Procedures:	Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Inform authorities if large amounts are involved.
Environmental Precautions:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling:	Use personal protective equipment as required. Avoid breathing mists or vapors. Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Wash hands thoroughly after handling. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use.
Conditions for safe storage, including any incompatibilities:	Keep containers tightly closed. Keep in a cool, well-ventilated place. Store in a dry place.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
Chloroform	TWA	10 ppm	US. ACGIH Threshold Limit Values (2011)
	STEL	2 ppm 9.78 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	Ceiling	50 ppm 240 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	2 ppm 9.78 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	2 ppm 9.78 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	ST ESL	Health 100 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (06 2018)
	ST ESL	Health 20 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (06 2018)
	AN ESL	Health 10 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (06 2018)
	AN ESL	Health 2 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (06 2018)
	TWA PEL	2 ppm 9.78 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (08 2010)

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

General information:	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area.
Eye/face protection:	Wear safety glasses with side shields (or goggles) and a face shield.
Skin Protection	
Hand Protection:	Chemical resistant gloves
Other:	Wear suitable protective clothing.
Respiratory Protection:	In case of inadequate ventilation, use air-supplied full-mask.
Hygiene measures:	Provide eyewash station and safety shower. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

9. Physical and chemical properties

Appearance

Physical state:	Liquid
Form:	Liquid
Color:	Colorless
Odor:	Sweet
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	-63.5 - -63.41 °C
Initial boiling point and boiling range:	61 - 62 °C
Flash Point:	No data available.
Evaporation rate:	11.6 (butyl acetate=1)
Flammability (solid, gas):	Noncombustible Liquid
Upper/lower limit on flammability or explosive limits	
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	21.0 - 21.1 kPa (20 °C) 26.26 kPa (25 °C)
Vapor density:	4.12 (Air=1)
Density:	1.48 g/ml (20 °C)
Relative density:	1.48 (20 °C)
Solubility(ies)	
Solubility in water:	5 g/l (25 °C)
Solubility (other):	alcohol: Miscible benzene: Miscible ether: Miscible
Partition coefficient (n-octanol/water):	1.97
Auto-ignition temperature:	> 600 °C

Decomposition temperature: No data available.
Viscosity: No data available.

Other information

Molecular weight: 119.38 g/mol (CHCl₃)

10. Stability and reactivity

Reactivity: No dangerous reaction known under conditions of normal use.
Chemical Stability: Material is stable under normal conditions.
Possibility of hazardous reactions: Hazardous polymerization does not occur.
Conditions to avoid: Heat, sparks, flames. Contact with incompatible materials.
Incompatible Materials: Strong oxidizing agents. Strong bases. Caustics. Aluminum. Chemically active metals.
Hazardous Decomposition Products: Oxides of Carbon. Hydrogen chloride. Chlorine.

11. Toxicological information

Information on likely routes of exposure

Inhalation: May be harmful if inhaled. May cause central nervous system effects.
Skin Contact: Causes skin irritation.
Eye contact: Causes serious eye irritation.
Ingestion: Harmful if swallowed. Irritating. May cause nausea, stomach pain and vomiting.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral
Product: LD 50 (Rat): 908 - 1,117 mg/kg
Dermal
Product: LD 50 (Rabbit) > 3,980 mg/kg
Inhalation
Product: LC 50 (Rat, 4 h) 47.702 mg/l
NOAEL (Rat, 14 d): 1000 ppm

Repeated dose toxicity
Product: No data available.

Skin Corrosion/Irritation
Product: Causes irritation.

Serious Eye Damage/Eye Irritation
Product: Causes serious eye irritation.

Respiratory or Skin Sensitization

Product: Not a skin nor a respiratory sensitizer.

Carcinogenicity

Product: Suspected of causing cancer.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Chloroform Overall evaluation: 2B. Possibly carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens:

Chloroform Reasonably Anticipated to be a Human Carcinogen.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No mutagenic components identified

In vivo

Product: No mutagenic components identified

Reproductive toxicity

Product: Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity - Single Exposure

Product: Central nervous system.

Specific Target Organ Toxicity - Repeated Exposure

Product: Liver. Kidneys.

Target Organs

Specific Target Organ Toxicity - Single Exposure: Central nervous system

Specific Target Organ Toxicity - Repeated Exposure: Liver, Kidney

Aspiration Hazard

Product: Not classified

Other effects: None known.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Chloroform LC 50 (Fathead minnow (*Pimephales promelas*), 96 h): 62.81 - 89.5 mg/l
LC 50 (Bluegill (*Lepomis macrochirus*), 96 h): 18.3 mg/l
LC 50 (*Limanda limanda*, 96 h): 28 mg/l

LC 50 (Poecilia reticulata, 96 h): 300 mg/l

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Chloroform
 LC 50 (Water flea (Daphnia magna), 48 h): 19 - 79 mg/l
 LC 50 (Ceriodaphnia dubia, 48 h): 290 mg/l
 EC 50 (Water flea (Daphnia magna), 48 h): 90 mg/l
 NOAEL (Water flea (Daphnia magna), 48 h): < 7.8 mg/l

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: The product is not readily biodegradable.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available on bioaccumulation.

Partition Coefficient n-octanol / water (log Kow)

Product: Log Kow: 1.97

Mobility in soil: No data available.

Other adverse effects: Harmful to aquatic life with long lasting effects.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local laws.

Contaminated Packaging: Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

UN Number: UN 1888
 UN Proper Shipping Name: Chloroform
 Transport Hazard Class(es)
 Class: 6.1
 Label(s): 6.1
 Packing Group: III
 Marine Pollutant: No

Special precautions for user: Not determined.

IMDG

UN Number: UN 1888
 UN Proper Shipping Name: CHLOROFORM
 Transport Hazard Class(es)
 Class: 6.1
 Label(s): 6.1
 EmS No.: F-A, S-A
 Packing Group: III
 Marine Pollutant: No
 Special precautions for user: Not determined.

IATA

UN Number: UN 1888
 Proper Shipping Name: Chloroform
 Transport Hazard Class(es):
 Class: 6.1
 Label(s): 6.1
 Packing Group: III
 Marine Pollutant: No
 Special precautions for user: Not determined.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
 None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)
 None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Chloroform	10 lbs.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

- Acute toxicity (any route of exposure)
- Skin Corrosion or Irritation
- Serious eye damage or eye irritation
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)

SARA 302 Extremely Hazardous Substance

<u>Chemical Identity</u>	<u>Reportable quantity</u>	<u>Threshold Planning Quantity</u>
Chloroform	10 lbs.	10000 lbs.

SARA 304 Emergency Release Notification

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Chloroform	10 lbs.

SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
Chloroform	500 lbs.

SARA 313 (TRI Reporting)

<u>Chemical Identity</u>	<u>Reporting threshold for other users</u>	<u>Reporting threshold for manufacturing and processing</u>
Chloroform	10000 lbs.	25000 lbs.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Chloroform	20000 lbs.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3):

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Chloroform	Reportable quantity: 10 lbs.

US State Regulations

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

Chloroform	Carcinogenic.
Chloroform	Developmental toxin.

US. New Jersey Worker and Community Right-to-Know Act

<u>Chemical Identity</u>
Chloroform

US. Massachusetts RTK - Substance List

<u>Chemical Identity</u>
Chloroform

US. Pennsylvania RTK - Hazardous Substances

<u>Chemical Identity</u>
Chloroform

US. Rhode Island RTK

<u>Chemical Identity</u>
Chloroform

International regulations

Montreal protocol

Not applicable

Stockholm convention

Not applicable

Rotterdam convention

Not applicable

Kyoto protocol


Not applicable

Inventory Status:

Australia AICS:	On or in compliance with the inventory
Canada DSL Inventory List:	On or in compliance with the inventory
China Inv. Existing Chemical Substances:	On or in compliance with the inventory
Japan (ENCS) List:	On or in compliance with the inventory
Japan ISHL Listing:	On or in compliance with the inventory
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory
Mexico INSQ:	On or in compliance with the inventory
New Zealand Inventory of Chemicals:	On or in compliance with the inventory
Philippines PICCS:	On or in compliance with the inventory
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory
US TSCA Inventory:	On or in compliance with the inventory
EINECS, ELINCS or NLP:	On or in compliance with the inventory

16. Other information, including date of preparation or last revision

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

Issue Date:	10-15-2020
Revision Information:	Not relevant.
Version #:	1.4
Source of information:	Sources of information used in preparing this SDS included one or more of the following: results from in house or supplier toxicology studies, information from the Toxicology Data Network (TOXNET), European Chemical Agency (ECHA) substance dossiers, IARC Monographs, US National Toxicology Program data, the Agency for Toxic Substances and Disease Registry, other manufacturer's SDSs and other sources, as appropriate.
Further Information:	No data available.

Disclaimer:

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR PERFORMANCE MATERIALS ("AVANTOR") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of Avantor's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR DISCLAIMS LIABILITY FOR, AND BY USING AVANTOR'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL AVANTOR BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.